



BrainDumps  
Collection

# Oracle

1Z0-053 Exam

Oracle Database 11g: Administration II

Thank you for Downloading 1Z0-053 exam PDF Demo

You can also try our 1Z0-053 practice exam software

[Download Free Demo](#)

<https://www.braindumpscollection.com/1Z0-053.html>

DEMO  
VERSION (LIMITED CONTENT)

Questions  
& Answers

---

**Question: 1**

---

Identify two situations in which you can use Data Recovery Advisor for recovery. (Choose two.)

- A. The user has dropped an important table that needs to be recovered.
- B. The database files are corrupted when the database is open.
- C. You are not able to start up the database instance because the required database files are missing.
- D. The archived log files are missing for which backup is not available.

---

**Answer: B,C**

---

---

**Question: 2**

---

Examine the following values of the initialization parameters in the database having the SID ORCL:

BACKGROUND\_DUMP\_DEST=/u01/app/oracle/product/11.1.0/db\_1/bdump

USER\_DUMP\_DEST=/u01/app/oracle/product/11.1.0/db\_1/udump

CORE\_DUMP\_DEST=/u01/app/oracle/product/11.1.0/db\_1/cdump

DIAGNOSTIC\_DEST=

The environment variables have the following value:

ORACLE\_BASE=/u01/app/oracle

ORACLE\_HOME=/u01/app/oracle/product/11.1.0/db\_1

What is the location of the Automatic Diagnostic Repository (ADR) home?

- A. /u01/app/oracle/product/11.1.0/db\_1
- B. /u01/app/oracle
- C. \$ORACLE\_HOME/bdump
- D. \$ORACLE\_HOME/log

---

**Answer: B**

---

---

**Question: 3**

---

Observe the following PL/SQL block:

```
BEGIN
```

```
dbms_spm.configure('SPACE_BUDGET_PERCENT', 30);
```

```
END;
```

Which statement is correct regarding the above PL/SQL block?

- A. It automatically purges the SQL management objects when SMB occupies more than 30% of the SYSAUX tablespace.
- B. It reserves 30% of the space in the SYSAUX tablespace for SQL Management Base (SMB).
- C. It reserves 30% of the space in the SYSTEM tablespace for SMB.
- D. It generates a weekly warning in the alert log file when SMB occupies more than 30% of the SYSAUX tablespace.

---

**Answer: D**

---

---

**Question: 4**

---

You are managing an Oracle Database 11g ASM instance having three disks in a disk group with ASM compatibility attribute set to 11.1.0 and redundancy set to high. One of the disks in the disk group becomes unavailable because of power failure. Which statements will be true in this scenario? (Choose all that apply.)

- A. The disk is immediately dropped from the disk group.
- B. The ASM tracks the extents that are modified during the outa
- C. The ASM migrates the extents from the unavailable disk to the remaining disks.
- D. The disk automatically goes offline.

---

**Answer: B,D**

---

---

**Question: 5**

---

Which statements are true regarding table compression? (Choose all that apply.)

- A. It saves disk space and reduces memory usage.
- B. It saves disk space but has no effect on memory usage.
- C. It incurs extra CPU overhead during DML as well as direct loading operations.
- D. It incurs extra CPU overhead during DML but not direct loading operations.
- E. It requires uncompress operation during I/O.

---

**Answer: A,C**

---

---

**Question: 6**

---

You are working as a DBA on the decision support system. There is a business requirement to track and store all transactions for at least three years for a few tables in the database. Automatic undo management is enabled in the database. Which configuration should you use to accomplish this task?

- A. Enable Flashback Data Archive for the tables.
- B. Specify undo retention guarantee for the database.
- C. Enable supplemental logging for the database.
- D. Query V\$UNDOSTAT to determine the amount of undo that will be generated and create an undo tablespace for that size.
- E. Create Flashback Data Archive on the tablespace on which the tables are stored.

---

**Answer: A**

---

---

**Question: 7**

---

Which components are needed for successful and most efficient recovery.

- A. The backup RB3 and the current online redo log files
- B. the backup RB2 and the archived redo log files after the log sequence number 15622
- C. Backup R81 and the archived redo log files after the log sequence number 12871
- D. The backup RB3 and the archived redo log files after the log sequence number 16721

---

**Answer: A**

---

---

**Question: 8**

---

You are managing an Oracle Database 11g instance with ASM storage. You lost an ASM disk group DATA. You have RMAN backup of data as well as ASM metadata backup. You want to re-create the missing disk group by using the ASMCMD md\_restore command. Which of these methods would you use to achieve this? (Choose all that apply.)

- A. Restore the disk group with the exact configuration as the backed-up disk group, using the same disk group name, same set of disks, failure group configurations, and data on the disk group.
- B. Restore the disk group with the exact configuration as the backed-up disk group, using the same disk group name, same set of disks, and failure group configurations.
- C. Restore the disk group with changed disk group specification, failure group specification, disk group name, and other disk attributes.
- D. Restore metadata in an existing disk group by passing the existing disk group name as an input parameter.

---

**Answer: B,C,D**

---

---

**Question: 9**

---

Which statement describes the effect of table redefinition on the triggers attached to the table?

- A. All triggers on the table are invalidated and are automatically revalidated with the next DML execution on the table.
- B. All triggers on the table are invalidated and must be manually recompiled before the next DML execution on the table.
- C. All triggers on the table remain valid.
- D. Only triggers that are affected by the changes to the structure of the table are invalidated and automatically revalidated with the next DML execution on the table.

---

**Answer: A**

---

---

**Question: 10**

---

You plan to collect the Automatic Workload Repository (AWR) data every Monday morning for a month. You want Oracle Database to automatically create a baseline every Monday and remove the

old baseline. What is the correct action to achieve this?

- A. Create and populate a SQL Tuning Set from the AWR on every Monday.
- B. Change the RETENTION setting for the AWR snapshots to 7 days on Monday.
- C. Create a repeating baseline template.
- D. Insert a finding directive for future ADDM tasks.

---

**Answer: C**

---

---

**Question: 11**

---

Which three statements are true regarding persistent lightweight jobs? (Choose three.)

- A. Persistent lightweight jobs modify several tables in the data dictionary to generate a lot of redo.
- B. The user cannot set privileges on persistent lightweight jobs.
- C. Persistent lightweight jobs are useful when users need to create a large number of jobs in a short time.
- D. Persistent lightweight jobs are useful when users need to create a small number of jobs that run infrequently.
- E. The use of a template is mandatory to create persistent lightweight jobs.

---

**Answer: B,C,E**

---

---

**Question: 12**

---

Your database initialization parameter file has the following entry:

```
SEC_MAX_FAILED_LOGIN_ATTEMPTS=3
```

Which statement is true regarding this setting?

- A. It drops the connection after the specified number of login attempts fail for any user.
- B. It is enforced only if the password profile is enabled for the user.
- C. It locks the user account after the specified number of attempts.
- D. It drops the connection after the specified number of login attempts fail only for users who have the SYSDBA privilege.

---

**Answer: A**

---

---

**Question: 13**

---

Which statement is true regarding virtual private catalogs?

- A. A virtual private catalog owner can create a local stored script, and have read/write access to a global stored script.
- B. The virtual private catalog owner cannot create and modify the stored scripts.
- C. The set of views and synonyms that make up the virtual private catalog is stored in the schema of the RMAN recovery catalog owner.

D. To perform most of the RMAN operations, the virtual catalog owner must have the SYSDBA or SYSOPER privilege on the target database.

---

**Answer: D**

---

---

**Question: 14**

---

Which tasks can be accomplished using the Enterprise Manager Support Workbench in Oracle Database 11g? (Choose all that apply.)

- A. Generate reports on data failure such as data file failures.
- B. You can track the Service Request (SR) and implement repairs.
- C. You can package and upload diagnostic data to Oracle Support.
- D. You can manually run health checks to gather diagnostic data for a problem.

---

**Answer: B,C,D**

---

---

**Question: 15**

---

What are the advantages of variable extent size support for large ASM files? (Choose two.)

- A. It improves resync operations when the disk comes online after being taken offline for maintenance purposes.
- B. It improves performance in the extended cluster configuration by reading from a local copy of an extent.
- C. Fewer extent pointers are needed to describe the file and less memory is required to manage the extent maps in the shared pool.
- D. This feature enables faster file opens because of the reduction in the amount of memory that is required to store file extents.

---

**Answer: C,D**

---

---

**Question: 16**

---

Which two are the uses of the ASM metadata backup and restore (AMBR) feature? (Choose two.)

- A. It can be used to back up all data on ASM disks.
- B. It can be used to recover the damaged ASM disk group along with the data.
- C. It can be used to gather information about a preexisting ASM disk group with disk paths, disk name, failure groups, attributes, templates, and alias directory structure.
- D. It can be used to re-create the ASM disk group with its attributes.

---

**Answer: C,D**

---

---

**Question: 17**

---

Which two changes and their effect on the system can be tested by using the Database Replay feature? (Choose two.)

- A. multiplexing of the control file
- B. adding the redo log member to the database
- C. database and operating system upgrades
- D. changing the database storage to ASM-managed storage

---

**Answer: C,D**

---

---

**Question: 18**

---

Which is the source used by Automatic SQL Tuning that runs as part of the AUTOTASK framework?

- A. SQL statements that are part of the AWR baseline only
- B. SQL statements based on the AWR top SQL identification
- C. SQL statements that are part of the available SQL Tuning Set (STS) only
- D. SQL statements that are available in the cursor cache and executed by a user other than SYS

---

**Answer: B**

---

---

**Question: 19**

---

While performing the backup of the flash recovery area, you notice that one of the archived redo log files is missing. You have multiple destinations for archived redo log files. What implications does it have on the backup of the flash recovery area?

- A. The backup fails because one of the archived redo log files is missing.
- B. The backup succeeds but it would be without the missing archived log.
- C. During backup, you are prompted for the alternative destination for the missing archived redo log file.
- D. The backup succeeds because it fails over to one of the alternative archived redo log destinations.

---

**Answer: D**

---

---

**Question: 20**

---

You are managing an Oracle Database 11g instance and an Oracle Database 10g instance on the same machine. Both instances use the ASM instance as storage. Which statement regarding the ASM disk group compatibility attributes are true in this scenario? (Choose all that apply.)

- A. The database-compatibility version settings for each instance must be greater than or equal to the RDBMS compatibility of all ASM disk groups used by that database instances.
- B. RDBMS compatibility and the database version determines whether a database instance can mount the ASM disk group.
- C. The RDBMS compatibility settings for a disk group control the format of data structures for ASM

metadata on the disk.

D. ASM compatibility controls which features for the ASM will be enabled.

---

**Answer: A,B,D**

---

---

**Question: 21**

---

Which three statements are true regarding the functioning of the Autotask Background Process (ABP)? (Choose three.)

- A. It creates jobs without considering the priorities associated with them.
- B. It translates tasks into jobs for execution by the scheduler.
- C. It determines the list of jobs that must be created for each maintenance window.
- D. It is spawned by the MMON background process at the start of the maintenance window.
- E. It maintains a repository in the SYSTEM tablespace to store the history of the execution of all tasks.

---

**Answer: B,C,D**

---

---

**Question: 22**

---

Which statements are true regarding the concept of problems and incidents in the fault diagnosability infrastructure for Oracle Database 11g? (Choose all that apply.)

- A. Only the incident metadata and dumps are stored in the Automatic Diagnostic Repository (ADR).
- B. The problem key is the same as the incident number.
- C. The database sends an incident alert to the Oracle Enterprise Manager Database Home page.
- D. Every problem has a problem key, which is a text string that describes the problem.
- E. The database makes an entry into the alert log file when problems and incidents occur.

---

**Answer: C,D,E**

---

---

**Question: 23**

---

What two statements are true regarding the recommendations received from the SQL Access Advisor? (Choose two.)

- A. It cannot generate recommendations that support multiple workload queries.
- B. It can recommend partitioning on tables provided that the workloads have some predicates and joins on the columns of the NUMBER or DATE type.
- C. It can recommend partitioning only on tables that have at least 10,000 rows.
- D. It can recommend only B-tree indexes and not bitmap or function-based indexes.

---

**Answer: B,C**

---

---

**Question: 24**

---

You are managing Oracle Database 11g with an ASM storage with high redundancy. The following command was issued to drop the disks from the dga disk group after five hours: ALTER DISKGROUP dga OFFLINE DISKS IN FAILGROUP f2 DROP AFTER 5H; Which statement is true in this scenario?

- A. It starts the ASM fast mirror resync.
- B. All the disks in the dga disk group would be OFFLINE and the DISK\_REPAIR\_TIME disk attribute would be set to 5 hours.
- C. It drops all disk paths from the dga disk group.
- D. All the disks in the dga disk group in failure group f2 would be OFFLINE and the DISK\_REPAIR\_TIME disk attribute would be set to 5 hours.

---

**Answer: D**

---

---

### Question: 25

---

Which statement describes the significance of the CHANGE FAILURE command in RMAN? (Choose all that apply.)

- A. It is used to change failure priority only for HIGH or LOW priorities.
- B. It is used to execute the advised repair script.
- C. It is used to change failure priority only for the CRITICAL priority.
- D. It is used to explicitly close the open failures.
- E. It is used to inform the database about the repair after the repair script executes.

---

**Answer: A,D**

---

---

### Question: 26

---

Which statements are true regarding the creation of an incident package file by using the EM Workbench Support? (Choose all that apply.)

- A. You can add or remove the trace files to the package.
- B. You can create the incremental incident package ZIP file for new or modified diagnostic information for the incident package already created.
- C. You can add SQL test cases to the incident package.
- D. You cannot create an incremental incident package when the physical files are purged from the ADR.

---

**Answer: A,B,C**

---

---

### Question: 27

---

The application tables owned by the user TEST in a test database need to be exported to the APPS schema in the production database by using Data Pump. Which option of Data Pump Import would you use to accomplish this?

- A. owner
- B. touser
- C. attach
- D. remap\_schema

---

**Answer: D**

---

---

**Question: 28**

---

You want to track and store all transactional changes to a table over its lifetime. To accomplish this task, you enabled Flashback Data Archive with the retention of 5 years. After some time, the business requirement changed and you were asked to change the retention from 5 years to 3 years. To accomplish this, you issued the following command: ALTER FLASHBACK ARCHIVE fla1 MODIFY RETENTION 3 YEAR; What is the implication of this command?

- A. The command produces an error because the retention time cannot be reduced.
- B. All historical data is retained but the subsequent flashback data archives are maintained for only three years.
- C. All historical data is purged and the new flashback data archives are maintained for three years.
- D. All historical data older than three years is purged from the flashback archive FLA1.

---

**Answer: D**

---

---

**Question: 29**

---

You are managing an Oracle Database 11g database with ASM storage. The ASM disk group has the COMPATIBLE.ASM attribute set to 11.1. Which statements are true regarding extent management and allocation units in the ASM disk group? (Choose all that apply.)

- A. The au\_size disk group attribute determines the size of allocation units in the disk group.
- B. The allocation unit size may vary but the extent size is fixed.
- C. The allocation unit size and extent size are fixed for all the disks in a disk group and cannot be changed.
- D. Extent management is completely automated.

---

**Answer: A,D**

---

---

**Question: 30**

---

Which are the prerequisites for performing flashback transactions on your database? (Choose all that apply.)

- A. Undo retention guarantee for the database must be configured.
- B. Supplemental log must be enabled for the primary key.
- C. Supplemental log must be enabled.
- D. Execute permission on the DBMS\_FLASHBACK package must be granted to the user.

---

**Answer: B,C,D**

---

---

**Question: 31**

---

Exhibit:

```
SQL> SHOW PARAMETER TARGET
```

NAME	TYPE	VALUE
archive_lag_target	integer	0
db_flashback_retention_target	integer	1440
fast_start_io_target	integer	0
fast_start_mttr_target	integer	0
memory_max_target	big integer	0
memory_target	big integer	0
pga_aggregate_target	big integer	90M
sga_target	big integer	272M

View the Exhibit to examine the parameter values. You are planning to set the value for the MEMORY\_TARGET parameter of your database instance. What value would you assign?

- A. 1440 MB
- B. 90 MB
- C. 362 MB
- D. 272 MB

---

**Answer: C**

---

---

**Question: 32**

---

You are managing an Oracle Database 11g database. You want to take the backup of MULT\_DATA, a big file tablespace of size 100 TB on tape drive, but you have tapedrives of only 10 GB each. Which method would accomplish the task quickly and efficiently?

- A. parallel image copy backup
- B. backup with MAXPIECESIZE configured for the channel
- C. parallel backup with MAXPIECESIZE configured for the channel
- D. intrafile parallel backup

---

**Answer: D**

---

---

**Question: 33**

---

You performed the RMAN database backup with the KEEP option. Which two statements are true regarding this backup? (Choose two.)

- A. The backup contains data files, the server parameter file, and the control file even if the control file autobackup is disabled.
- B. The KEEP option overrides the configured retention policy.
- C. The backup contains only data files and archived redo log files.
- D. The KEEP option is an attribute of an individual backup piece.

---

**Answer: A,B**

---

---

**Question: 34**

---

You are managing an Oracle Database 11g database. You want to take a backup on tape drives of the USERS tablespace that has a single data file of 900 MB. You have tape drives of 300 MB each. To accomplish the backup, you issued the following RMAN command:

```
RMAN>BACKUP  
SECTION SIZE 300M  
TABLESPACE users;
```

What configuration should be effected to accomplish faster and optimized backups by using the above command?

- A. The SBT channel must be configured, with the default parallelism setting for the SBT device set to 1.
- B. The COMPATIBLE initialization parameter for the database instance must be set to at least 10.0.
- C. The SBT channel must be configured, with the parallelism setting for the SBT device set to 3.
- D. The SBT channel must be configured, with the MAXPIECESIZE set to 300 MB.

---

**Answer: D**

---

---

**Question: 35**

---

The ADMIN\_EMP table has columns EMPNO, ENAME, DEPTNO, and SAL. It has a materialized view EMP\_MV with a materialized log and an ENAME\_IDX index on the ENAME column. You need to perform an online table redefinition on the ADMIN\_EMP table to move it from the TBS1 tablespace to the TBS2 tablespace in the same schema. What action is required for the dependent objects when you perform online redefinition on the table?

- A. The materialized view should have a complete refresh performed after the online table redefinition is completed.
- B. The materialized view should have a fast refresh performed after the online table redefinition is completed.
- C. The materialized view, materialized log, and the index should be dropped and re-created after the online table redefinition is complete.
- D. The materialized view and materialized log should be dropped and all constraints disabled and re-created after the online table redefinition is complete.

---

**Answer: A**

---



## Thank You for trying 1Z0-053 PDF Demo

To try our 1Z0-053 practice exam software visit link below

<https://www.braindumpscollection.com/1Z0-053.html>

## Start Your 1Z0-053 Preparation

Use Coupon "20OFF" for extra 20% discount on the purchase of Practice Test Software. Test your 1Z0-053 preparation with actual exam questions.