



BrainDumps
Collection

CompTIA

LX0-101 Exam

CompTIA Linux+ [Powered by LPI] Exam 1 Exam

Thank you for Downloading LX0-101 exam PDF Demo

You can also try our LX0-101 practice exam software

[Download Free Demo](#)

<https://www.braindumpscollection.com/LX0-101.html>

DEMO
VERSION (LIMITED CONTENT)

Questions
& Answers

Question: 1

You have just added a CD .ROM drive (/dev/hdd) to your system and have added it to yourfstab. Typically you can use which of the following commands to mount media in that drive to /mnt/cdrom?

- A. mount /dev/cdrom /mnt/cdrom
- B. mount/dev/cdrom
- C. mount -t cdrom /dev/cdrom /mnt/cdrom
- D. mount /mnt/cdrom
- E. automount /mnt/hdd /mnt/cdrom

Answer: D

Explanation:

/mnt/cdrom or /media/cdrom is the mount point for cdrom specified in /etc/fstab. /dev/hdd /media/cdrom auto pamconsole,exec,noauto,managed 0 0 /dev/hdc /media/cdrecorder auto pamconsole,exec,noauto,managed 0 0 So we need to mount just typing mount /media/cdrom command.

Question: 2

With Xorg 7.0, what is the name of the default font server?

- A. xfserv
- B. xfs
- C. fonts
- D. xfstt
- E. fserv

Answer: B

Question: 3

Which command (without options) would you use to display how much space is available on all mounted partitions?

Answer: /BIN/DF

Question: 4

What command with all options and/or parameter will send the signal USR1 to any executing process of program apache2?

**Answer: KILLALL-
SUSR1APACHE2**

Question: 5

The command `echo $!` will produce what output?

- A. the process id of last background command
- B. the exit status of the last command
- C. the exit status of the last background command
- D. the process id of the current shell
- E. the name of the command being executed

Answer: A

Question: 6

You are using quota on your system. How can you see disk quota details?

- A. `repquota`
- B. `quotA.l`
- C. `quota`
- D. `quotacheck`
- E. `quotA.list`

Answer: A

Explanation: `repquota` prints a summary of the disk usage and quotas for the specified file systems. For each user the current number of files and amount of space (in kilobytes) is printed, along with any quotas created with `edquota`.

Example : `repquota /home` prints the summary of disk usage and other information of all users.

Question: 7

What is the difference between `thE.remove` and `thE.purge` action with the `dpkg` command?

- A. `-remove` removes the program, `-purge` also removes the config files
- B. `-remove` only removes the program, `-purge` only removes the config files
- C. `-remove` removes a package, `-purge` also removes all packages dependent on it
- D. `-remove` removes only the package file itself, `-purge` removes all files related to the package

Answer: A

Explanation: `-r` or `--remove` remove everything except configuration files. This may avoid having to reconfigure the package if it is reinstalled later. (Configuration files are the files listed in the `debian/conffiles` control file). `-P` or `--purge` removes everything, including configuration files. If `-a` or `--pending` is given instead of a package name, then all packages unpacked, but marked to be

removed or purged in file `/var/lib/dpkg/status`, are removed or purged, respectively.

Question: 8

What application can be used in place of `xhost`? Please enter only the name without path.

Answer:

Answer: XAUTH

Question: 9

You have read/write permission on an ordinary file `foo`. You have just run `ln foo bar`. What would happen if you ran `rm foo`?

- A. `foo` and `bar` would both be removed.
- B. `foo` would be removed while `bar` would remain accessible.
- C. `foo` would be removed, `bar` would still exist but would be unusable.
- D. Both `foo` and `bar` would remain accessible.
- E. You would be asked whether `bar` should be removed.

Answer: B

Explanation: Correct Answer is B. The `ln` command is used to create the link. There are two types of link a. Soft link b. Hard link.

a. Softlink Can create for directory also, can span multiple partitions but available until and unless Original Files remain.

Syntax for Softlink

`ln -s originalfile linkfile`

b. Hardlink One separate Physical File, can't create for directory, can't span multiple file but remains the link file if original file removed.

Syntax for Hardlink `ln originalfile linkfile`

In Questions, created the `bar` hardlink of `foo`. That means `bar` is on separate physical file. The file `bar` is accessible after removing the `foo` file also.

Question: 10

Which of the following commands will change all CR-LF pairs in an imported text file, `userlist.txt`, to Linux standard LF characters and store it as `newlist.txt`?

- A. `tr '\r\n' " < userlist.txt > newlist.txt`
- B. `tr -c '\n\r' " < newlist.txt > userlist.txt`
- C. `tr -d '\r' < userlist.txt > newlist.txt`
- D. `tr '\r' '\n' userlist.txt newlist.txt`
- E. `tr -s '^M' '^J' userlist.txt newlist.txt`

Answer: C

Question: 11

You wish to kill a process with a PID of 123. Select the command which exiting.

- A. kill-1 123
- B. kill-9 123
- C. kill-15 123
- D. kill-17 123

Answer: C

Explanation: To terminate the process we use kill command. But we should know the process ID. In questions PID is specified to 123. Syntax of kill command is: kill signal PID Where -9 is the powerful signal then other signal which kill the process.

Question: 12

Using vi, you want to save changes to the file myfile with :w!, but vi complains it cannot write to the file. Therefore, you want to check the write permissions on the file. To do this without leaving vi, you type:

- A. :!ls-l myfile
- B. :\\ls-l myfile
- C. esc :ls -l myfile
- D. :?ls-l myfile

Answer: A

Explanation: You can execute the external commands in vi editor using :! command .
Example: :!ls -l displays all contents of current directory.

Question: 13

Which of these commands allows you to use shared libraries that are in /usr/local/lib?

- A. export LD_PRELOAD=/usr/local/lib
- B. export LD_LIBRARY_PATH=/usr/local/lib
- C. ldconfig /usr/local/lib
- D. ldd/usr/local/lib

Answer: B

Question: 14

You are looking for an executable file foo. Select the command that would search forfoo within directories set in the shell variable, PATH.

- A. locate

- B. which
- C. find
- D. query
- E. whereis

Answer: B

Question: 15

What does the Filesystem Hierarchy Standard enable? (Select TWO answers)

- A. software to predict the location of installed files and directories
- B. software to predict the ownership and access rights to files and directories
- C. users to predict the location of installed files and directories
- D. users to predict how the filesystem should be formatted according to need

Answer: A, C

Explanation:

This standard enables:

- Software to predict the location of installed files and directories, and
- Users to predict the location of installed files and directories.

This is done by:

- Specifying guiding principles for each area of the filesystem,
- Specifying the minimum files and directories required,
- Enumerating exceptions to the principles, and
- Enumerating specific cases where there has been historical conflict.

Question: 16

Which program finds only files that are in your PATH?

Answer:
/USR/BINyWHICH

Question: 17

To allow a regular user account to mount and unmount a filesystem (for instance, a cdrom or floppy), which option need to be added to the corresponding line in /etc/fstab?

- A. nouidchk
- B. alluser
- C. user
- D. auto

Answer: C

Explanation: Answer C is correct. user options is used to allow an ordinary user to mount the file

system. The name of the mounting user is written to mtab so that user can unmount the file system again.

Question: 18

Given the following output:

```
prompt> myapp
[1]+ Stopped myapp
prompt>
```

Which of the following commands will resume executing the stopped process while allowing the user to continue to type commands at the command prompt?

- A. bg myapp
- B. continue myapp
- C. exec myapp
- D. fg myapp
- E. myapp &

Answer: A

Explanation: Process can start either in foreground or in background. By default commands executes on foreground. Running the process in foreground allows only one command can enter at a time because we will get the shell to type another command until finishing the current command. But background process allows to run the more than one command at a time. To run the process in background just append the & at the end of the command.

Example:

```
# find / -name passwd >result &
```

We can suspend the jobs running in foreground by pressing ctrl+z shortcut. As well as can resume the suspended jobs either in background or foreground.

```
#fg %jobid : Runs the job in foreground
```

```
#bg %jobid : Runs the job in background
```

or

```
#fg command
```

```
#bg command
```

Question: 19

In xorg.conf, which section is concerned with fonts?

- A. the Fonts section
- B. the Files section
- C. the xfsCodes section
- D. the Graphics section
- E. the modeline section

Answer: B

Explanation: The files section consist of FontPath, RGBPath and ModulePath.

Question: 20

What command will print a list of usernames (first column) and their corresponding user id (uid, third column) from /etc/passwd?

- A. `cut -d: -f 1,3 /etc/passwd`
- B. `chop -c 1,3 /etc/passwd`
- C. `tac 1-3/etc/passwd`
- D. `fmt -u /etc/passwd`

Answer: A

Explanation: Cut command helps to display certain fields value from file. In cut command `D.d` option is used to specify the field delimiter and `D.f` specify the field number.

Thank You for trying LX0-101 PDF Demo

To try our LX0-101 practice exam software visit link below

<https://www.braindumpscollection.com/LX0-101.html>

Start Your LX0-101 Preparation

Use Coupon "20OFF" for extra 20% discount on the purchase of Practice Test Software. Test your LX0-101 preparation with actual exam questions.